

SAFETY DATA SHEET

PART No. HY16-5

1. IDENTIFICATION OF THE PRODUCT

PRODUCT NAME: HY16 WINDOW CLEANER 5L

Company Autogem Invicta Limited
 Unit 6 Space Business Park
 Abbey Road
 London
 Middlesex
 NW10 7SU
 England
sales@autogem.co.uk
www.autogem.co.uk

Telephone +44 (0)208 838 0910

Fax +44 (0)208 838 1854

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients:

	Conc.	CAS	EINECS	Symbols/Risk Ethanol
Ethanol	1-10%	64-17-5	200-578-6	F; R11
Alkoxy Ether Alcohol (2-(2-Butoxyethoxy) ethanol)	1-10%	112-34-5		Xi; R36

3. HAZARDS IDENTIFICATION

Main hazards: No Significant Hazard

4. FIRST AID MEASURES

Skin contact: May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact: May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion: May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards: Burning produces irritating, toxic and obnoxious fumes.

Protective equipment: Wear suitable respiratory equipment when necessary

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage: Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits:

Ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m ³ : 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m ³ : -
Alkoxy Ether Alcohol (2-(2-Butoxyethoxy) ethanol)	WEL 8-hr limit ppm: 10	WEL 8-hr limit mg/m ³ : 67.5
	WEL 15 min limit ppm: 15	WEL 15 min limit mg/m ³ : 101.2

Engineering measures: Ensure adequate ventilation of the working area.
Hand protection: Chemical resistant gloves (PVC)
Eye protection: In case of splashing, wear: Approved safety goggles.
Protective equipment: Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description: Liquid
Colour: Blue
Odour: Alcoholic
Boiling point: 100°C

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions
Conditions to avoid: Heat. Direct sunlight. Do NOT allow to freeze.

11. TOXICOLOGICAL INFORMATION

Toxicological information: No Significant Hazard.

12. ECOLOGICAL INFORMATION

Further information: Do not flush into surface water.

13. DISPOSAL CONSIDERATIONS

General information: Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information: The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases: NSH - No Significant Hazard
Safety phrases: S2 - Keep out of the reach of children
S24/25 - Avoid contact with skin and eyes

16. OTHER INFORMATION

Text of risk phrases in R11 – Highly Flammable

Section 2 R36 - Irritating to eyes

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.