



SAFETY DATA SHEET

HY20 – Furniture Polish 500ml

1. IDENTIFICATION OF THE PRODUCT

PRODUCT NAME: HY20 FURNITURE POLISH 500ml

Company Autogem Invicta Limited
Unit 6 Space Business Park
Abbey Road
London
Middlesex
NW10 7SU
England
sales@autogem.co.uk
www.autogem.co.uk

Telephone +44 (0)208 838 0910

Fax +44 (0)208 838 1854

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients:

	Conc.	CAS	EINECS	Symbols/Risk phrases
Sodium hydroxide	0-0.5%	1310-73-2	215-185-5	C; R35
Turpentine Oil-Terpentine (Turpentine)	0-0.5%	8006-64-2	232-350-7	Xn; R20/21/22-65 Xi; R36/38-43 R10-53
Acrylic acid	0-0.5%	79-10-7	201-177-9	R10 Xn; R20/21/22 C; R35 N; R50

3. HAZARDS IDENTIFICATION

Main hazards: No Significant Hazard

4. FIRST AID MEASURES

Skin contact: May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact: May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion: May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards: Burning produces irritating, toxic and obnoxious fumes.

Protective equipment: Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage: Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Sodium hydroxide:	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m ³ : - WEL 15 min limit mg/m ³ : 2
Turpentine Oil-Terpentine: (Turpentine)	WEL 8-hr limit ppm: 100 WEL 15 min limit ppm: 150	WEL 8-hr limit mg/m ³ : 566 WEL 15 min limit mg/m ³ : 850

Hand protection: Chemical resistant gloves (PVC)

9. PHYSICAL AND CHEMICAL PROPERTIES

Description: Liquid
Colour: White
Odour: Pleasant
Boiling point: 100°C

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions
Conditions to avoid: Heat .Direct sunlight. Do NOT allow to freeze.

11. TOXICOLOGICAL INFORMATION

Toxicological information: No Significant Hazard.

12. ECOLOGICAL INFORMATION

Further information: Do not flush into surface water.

13. DISPOSAL CONSIDERATIONS

General information: Dispose of in compliance with all local and national regulations.

14. TRANSPORT INFORMATION

Further information: The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Risk phrases:	NSH -	No Significant Hazard
Safety phrases:	S2	Keep out of the reach of children
	S25	Avoid contact with skin and eyes

16. OTHER INFORMATION

Text of risk phrases in Section 3	R10	Highly Flammable.
	R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
	R35	Causes severe burns.
	R36/38	Irritating to eyes and skin.
	R43	May cause sensitisation by skin contact.
	R50	Very toxic to aquatic organisms.
	R53	May cause long-term adverse effects in the aquatic environment.
	R65	Harmful: may cause lung damage if swallowed.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.