

SAFETY DATA SHEET

PDS07 – Penetrant, Damp Start & Lubricant 5Ltr

1 – IDENTIFICATION OF THE SUBSTANCE / REPARATION AND THE COMPANY

Product name PENETRANT, DAMP START & LUBRICANT 5Ltr

Company Autogem Invicta Limited
Unit 6 Space Business Park
Abbey Road
London
Middlesex
NW10 7SU
England
sales@autogem.co.uk
www.autogem.co.uk

Telephone +44 (0)208 838 0910

Fax +44 (0)208 838 1854

2 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: IPA 1-10%
[F] R11; [Xi] R36; [-] R67
• LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM),
HYDRODESULPHURIZED HEAVY 70-90%
EINECS: 265-185-4 CAS: 64742-82-1
[T] R46; [Xn] R65; [-] R10; [N] R51/53
• CALCIUM SALT OF OXIDISED PETROLATUM 1-10%
CAS: 68425-34-3
[Xi] R36

3 – HAZARDS IDENTIFICATION

Main hazards: Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

4 – FIRST AID MEASURES

Skin contact: There may be irritation and redness at the site of contact. Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

Eye contact: There may be irritation and redness. The eyes may water profusely. Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting. Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5 – FIRE FIGHTING MEASURES

- Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
- Exposure hazards:** In combustion emits toxic fumes.
- Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6 - ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7 – HANDLING AND STORAGE

- Handling:** Handle in well-ventilated area. Avoid contact with skin, eyes and do not swallow.
- Storage:** Store in closed packing between 5°C and 25°C away from direct sunlight and other sources of heat.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
- Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand protection:** Impermeable gloves.
- Eye protection:** Safety glasses. Ensure eye bath is to hand.
- Skin protection:** Impermeable protective clothing.

9 – PHYSICAL AND CHEMICAL PROPERTIES

- State:** Liquid
- Colour:** Brown
- Odour:** Characteristic odour
- Evaporation rate:** Slow
- Solubility in water:** Insoluble
- Flash point°C:** 36

10 – STABILITY AND REACTIVITY

- Stability:** Stable under normal conditions.
- Conditions to avoid:** Heat.
- Materials to avoid:** Strong oxidising agents. Strong acids.
- Haz. decomp. products:** In combustion emits toxic fumes.

11 – TOXICOLOGICAL INFORMATION

- Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12 – ECOLOGICAL INFORMATION

| | |
|---------------------------------------|--|
| Mobility: | Readily absorbed into soil. |
| Persistence and degradability: | Not biodegradable. |
| Bioaccumulative potential: | Bioaccumulation potential. |
| Other adverse effects: | Toxic to aquatic organisms. Toxic to soil organisms. |

13 – DISPOSAL CONSIDERATIONS

| | |
|-----------------------------|---|
| Disposal operations: | Transfer to a suitable container and arrange for collection by specialized disposal company. |
| NB: | The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. |

14 – TRANSPORT INFORMATION

ADR / RID:

| | |
|-----------------------|--------------------------|
| UN no: | 1993 |
| ADR Class: | 3 |
| Shipping name: | FLAMMABLE LIQUID, N.O.S. |
| Labelling: | 3 |
| Hazard ID no: | 30 |



IMDG / IMO:

| | |
|--------------------------|-------|
| UN no: | 1993 |
| Class: | 3 |
| Packing group: | III |
| EmS: | 3-07/ |
| Marine pollutant: | |
| Labeling: | 3 |

IATA / ICAO:

| | |
|------------------------------|------|
| UN no: | 1993 |
| Class: | 3 |
| Packing group: | III |
| Packing instructions: | 310 |
| Labeling: | 3 |

15 – REGULATORY INFORMATION

Hazard symbols: Dangerous for the environment.

Harmful.



Risk phrases: R10: Flammable.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65: Harmful: may cause lung damage if swallowed.

Safety phrases: S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Haz. ingredients (label): LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16 – OTHER INFORMATION

phrases used in s.3: R11: Highly flammable.
R36: Irritating to eyes.
R67: Vapours may cause drowsiness and dizziness.
R46: May cause heritable genetic damage.
R65: Harmful: may cause lung damage if swallowed.
R10: Flammable.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.