

SAFETY DATA SHEET

PG230 – AIR TOOL OIL 1Ltr

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name PG230 - AIRTOOL OIL
Company Autogem Invicta Ltd.
Unit 6 Space Business Park
Abbey Road
London
NW10 7SU
United Kingdom
sales@autogem.co.uk
WWW.AUTOGEM.CO.UK

Tel +44 (0) 20 8838 0910
Fax +44 (0) 20 8838 1854

2. COMPOSITION / INFORMATION ON INGREDIENTS

Description : A blend of highly refined mineral oils with packaged additive system containing corrosion and anti-oxidation inhibitors.

3. HAZARDS IDENTIFICATION

Main hazards No Significant Hazard

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation May cause irritation to mucous membranes. Move the exposed person to fresh air.

Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.
Fire hazards Burning produces irritating, toxic and obnoxious fumes.
Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation of the working area.
Environmental precautions	Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures Ensure adequate ventilation of the working area.

Hand protection Chemical resistant gloves (PVC)

Eye protection In case of splashing, wear: Approved safety goggles.

Protective equipment Wear protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.	Relative density	0.870
Colour	Amber.	Water solubility	insoluble in water.
Odour	Characteristic.	Melting point	-12°C
Flash point	195°C		

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
------------------	---------------------------------

11. TOXICOLOGICAL INFORMATION

Toxicological information	AIRTOOL OIL Oral Rat LD50 = 2g/kg
----------------------------------	-----------------------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity	No data is available on this product.
--------------------	---------------------------------------

13. DISPOSAL CONSIDERATIONS

General information	Dispose of in compliance with all local and national regulations.
----------------------------	---

14. TRANSPORT INFORMATION

Further information	The product is not classified as dangerous for carriage.
----------------------------	--

15. REGULATORY INFORMATION

Risk phrases	
Further information	No Significant Hazard.

16. OTHER INFORMATION

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.